



National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.





U.S. Department of Transportation
National Highway Traffic Safety
Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM



PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 618P

TYPE OF ACCIDENT Passenger Van / Running pedestrian

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle one was northbound in lane 2 of a 4 lane two way street. A bus was stopped northobound in lane 1. A pedestrian alighted the bus and went around the front of the bus and ran westerly and slightly north across the street. V1 swerved left out of the lane of traffic and struck the pedestrian to the fornt right of V1. The pedestrian wrapped on the hood and was launched forward and left of V1 and also slid on the ground to final rest. V1 departed its lane of travel and ended up northwesterly in lane 3.

B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)		
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	29	Female	Treated/ Releas	brain ed head	CHI contusion	7 1	hood-not ceinfreed		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

Vehicle	Class		Most Severe Damage Based on Vehicle Inspection					
No.	of V ehicle	Year/Make/Model	Damage Pl ane	Damage Description				
01	passenger van	95/Plymouth/Voyager	Front	Scuffs, small dents.				

DO NOT SANITIZE THIS FORM



HS Form 431B (1/95)

ACCIDENT COLLISION DIAGRAM U.S, Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPL CRASHWORTHINESS D Indicate PSU No. \(\sum_{\rm 2} \) Case Number - Stratum North Bus dy y Carlo Ref. dx. Δ

Scale: 1 centimeter =



HS Form 431B (1/93)

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM National Highway Traffic Safety Administration Indicate PSU No. Case Number—Stratum North 50 Rock Lines

Scale: 1 centimeter = 1 meter - (1/100)



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number Case Number—Stratum 6 PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM document reference point and reference line relative to physical features Surface Type * north arrow placed on diagram documentation of all accident induced physical evidence including (if applicable): Surface Condition grade measurements for all applicable roadways. a) vehicle skid marks Coefficient of Friction b) pedestrian contacts with ground or object scaled representations of the physical plant Grade (v/h) Measurement includina: c) vehicle/pedestrian point of impact (POI) a) at impact a) all road/roadway delineation (e.g., d) location of pedestrian separation point crosswalks, curbs/edge lines, lane from vehicle b), between impact markings, medians, pavement markings, and final rest parked vehicles, poles, signs, etc.) f) final resting points (FRP) for pedestrian and vehicle b) all traffic controls (e.g., lights, signs) Pedestrian Travel Direction documentation of the physical plant scaled representations of the vehicle and includina: Vehicle Travel Direction pedestrian at pre-impact, impact, and final a) all road/roadway delineation (e.g., rest based upon either: crosswalks, curbs/edge lines, lane markings, medians, pavement markings, Number of Travel Lanes parked vehicles, poles, signs, etc.) a) physical evidence, or b) all traffic controls (e.g., lights, signs) b) reconstructed accident dynamics Reference Point: Reference line: 3 Distance and Direction Distance and Direction Item from Reference Point from Reference Line

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	:.	
	· ·	
		•
		,

•



National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Frimary Sampling Unit Number

2. Case Number - Stratum


IDENTIFICATION

- 3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident



Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (1) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ___SS15 Administrative Use

7. <u>✓ SS16 Pedestrian Crash Data Study</u> 1

8. SS17 Impact Fires

9. SS18 _____ 0

10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Area of Vehicle Damage		Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0 1</u>	13. <u>0 1</u>	14. 13	15.	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase \geq 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger varı (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



PEDESTRIAN ASSESSMENT FORM

Form Approved
O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM

		PEDESTRIAN CRASH DATA STUL
1.	. Primary Sampling Unit Number	10. Pedestrian's Weight Code actual weight to the nearest
2.	. Case Number - Stratum 6 P	kilogram. (999) Unknown
3.	. Pedestrian Number01	kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
	``C	1
4.	Pedestrian's Age	11. Pedestrian Attitude
	Code actual age at time of accident.	(1) Standing
	(00) Less than one year old (specify by month):	(2) Crouching (3) Kneeling
	(97) 97 years and older	(4) Bending at waist
	(99) Unknown	(8) Other (specify):
		(9) Unknown
5.	Pedestrian's Sex	
	(1) Male	12. Pedestrian Motion
	(2) Female - not reported pregnant	(0) Not moving
	(3) Female - pregnant-1st trimester (1st-3rd month)	(1) Walking slowly (2) Walking rapidly
	(4) Female - pregnant-2nd trimester (4th-6th month)(5) Female - pregnant-3rd trimester (7th-9th month)	(2) Walking rapidly (3) Running or jogging
	(6) Female - pregnant-srd trimester (/tn-9th month)	(4) Hopping
	(9) Unknown	(5) Skipping
e	1551	(6) Jumping
ь.	Pedestrian's Overall Height Code actual height to the nearest	(7) Falling/stumbling or rising
	centimeter.	(8) Other (specify):(9) Unknown
	(999) Unknown	(9) Unknown
	inches X 2.54 = centimeters	13. Pedestrian's Action Relative to Vehicle
	centimeters	(00) Stopped
٠,	т	(01) Crossing road, straight
	Pedestrian's Height - Ground to Knee Code to the nearest	(02) Crossing road, diagonally
	centimeter.	(03) Moving in road, with traffic
	(999) Unknown	(04) Moving in road, against traffic (05) Off road, approaching road
		(05) Off road, approaching road (06) Off road, going away from road
	inches X 2.54 = centimeters	(07) Off road, moving parallel
	~851	(08) Off road, crossing driveway
	Pedestrian's Height - Ground to Hip	(09) Off road, moving along driveway
	Code to the nearest centimeter.	(98) Other (specify):(99) Unknown
	(999) Unknown	(95) OHMOWII
		14. Pedestrian's Body (Chest) Orientation
	inches X 2.54 = centimeters	Relative to Striking Vehicle Prior to
	1551	Avoidance Actions
	Pedestrian's Height - Ground to Shoulder \(\sum_{S} \sum_{S} \)	(1) Facing vehicle(2) Facing away
	Code to the nearest centimeter.	(2) racing away (3) Left side to vehicle
	(999) Unknown	(4) Right side to vehicle
		(8) Other (specify):
-	inches X 2.54 = centimeters	(9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
PEDESTRIAN S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
·	1
\sim 0	at Initial Impact
15. Pedestrian's First Avoidance Actions	(01) At sides
	(02) Folded across chest
	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	·
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	
(ov) Sove of foil array	(08) Extended forward bracing
Used hand(s) to:	(09) Extended, holding object
	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against	bag, etc.) on shoulder(s) or head
· vehicle	(98) Other (specify):
(98) Other (specify):	(99) Unknown
(99) Unknown	(55) Olikilowii
	10 201
	19. Pedestrian's Leg Orientation
	at Initial Impact
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
	(98) Other (specify):
(2) To left	
(3) To right	(99) Unknown
(4) Up	100 100
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield ()
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
	(07) Thrown forward and right of vehicle
(1) Facing vehicle	
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
1	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
İ	
İ	(98) Other (specify):
4	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	Q	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	40	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	0	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown 		27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	,	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
		•

STOP - VARIABLES 30 THROUGH 37 A	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) - HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours, If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO [] UPDATE CANDIDATE?	INCLUDED WITH INITIAL SUBMISSION? YES [/] NO [/] YES []



Administration

U.S. Department of Transportation National Highway Traffic Safety

Form Approve O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN INJURY FORM

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank


INJURY DATAMENT AND THE PROPERTY OF THE PROPER

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

İ	Source		Time of	AIS-90					Injury				
	of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5	e. <u>8</u>	7. 9	8.04	<u>.02</u>	10	11. 2	12 703	13	14.	15,3	16.2	17.2
2nd	18. 3	19. 7	20.9	21. 02	_{22.} <u>0</u> 2	23	24. 2	25. <u>77</u> C	26	27	28	29. 2	<u>20. 2</u>
3rd	31:	32. 7	33	34. 06	36. <u>O Z</u>	36:	37. <u>2</u>	38. <u>77</u> 0	39:	40	41. 2	42	4 2
4th	44. 3.	46	48.9	47. 04	48. <u>0</u> 2	49	<u>50.</u>	51. 770	52.	63	54. <u>2</u>	55. 3	<u>54.3</u>
5th	_{57.} <u>3</u>	58	59.	60. <u>50</u>	81. <u>99</u>	62	63. <u></u>	84. 770	65	66	67. <u>2</u>	68.3	69 . <u></u>
6th	_{70.} <u>3</u>	71. <u>6</u>	72	73. 02	74. 78	76. <u> </u>	78. <u>6</u>	77. <u>770</u>	78.	79. <u>2</u>	80. 2	81. 3	82.
7th	es. <u>3</u>	84. 7	86. 9	86. <u>0 4</u> 6	or. <u>O</u>	88	89;	947	91.2	92.	93. 🕖	94.	96
8th	96	97. 7	98.	99. <u>0</u> 21	∞. <u>○</u> 2	101. /	102. 1	103. <u>947</u>	104.	105	106.	107	106
9 u h	109.	110.6	111.9	112.02	13. 02	114 <u> </u>	15. 8	118. 947	117.	118.	119. <u>O</u>	20.	121.
10th	122. 7	123. 8	124.	125, 9 4 12	<u>02</u> ,	1271	28. <u>/</u>	128. 947	130. 1	31	132. 🤦 1	331	4 _
		¥	**										

	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th													
1 2 th									•				
			 .			<u> </u>							
13th	_		_				_						
l 4th		 .					-		worthis				
5th		_	_				_		——				
6th		_	annigatio.						 .				
7th						**							
			-										
8th									_				
9th						_							
Oth		_							_	_		 .	
1st			_								enterprise		_
2nd:	_	_	<u> </u>										
3rd			_		: 		-				, · · ·		_
ith _	*****								_			_	
ith _													

サール中のマンス ・ The Table Company (Apple Company of the Company of t Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



aye

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Certain Probable (0) Injury not from vehicle contact (1) Autopsy records with or without hospital/ No damage/contact Possible Scratch medical records (9) Unknown Dent (2) Hospital/medical records other than 141 Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury (3) Emergency room records only (including (2) Indirect contact injury Noncontact injury (7) associated X-rays or other lab reports) Noncontact injury Other specify: (8) injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE **DAMAGE DEPTH** (0) Injury not from vehicle contact Flat-Narrow (<15 centimeters) UNOFFICIAL (0) Injury not from vehicle contact (5) Lay coroner report No residual demage Flat-Wide (≥ 15 centimeters) (6) E.M.S. personnel Surface only damage Rounded (contoured) Rounded edge Crush depth >0 to 2 centimeters Interviewee (5) (8) Sharp edge Crush depth >2 to 5 centimeters (8) Other source (specify): Other (specify): (5) Crush depth > 5 to 10 centimeters Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (2) Face (06) Lumbar Moderate injury Serious injury (2) (3) Neck (3) Thorax (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) Severe injury 151 Abdomen (08) Skin - Avulsion (5) Critical injury Spine (6) (10) Amputation (6) Maximum (untreatable) **Upper Extremity** (20) Burn Injured, unknown severity Lower Extremity (8) (30) Crush Level of Injury Unspecified (40) Degloving Aspect (50) Injury - NFS Specific injuries are assigned consecutive two-digit numbers beginning with 02. Type of Anatomic Structure (90) Trauma, other than mechanical (1) Right 121 Left Whole Area Head - LOC (02) Length of LOC (3) Bilateral To the extent possible, within the organizational framework of the AIS, 00 Central (3) Nerves (04, 06, 08) Level of Consciousness (6) Anterior (4) Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to (6) Posterior ligaments) severity or where only one injury is given in the dictionary for that anatomic Superior (5) Skeletal (includes joints) Inferior (8) (6) Head - LOC structure. 99 is assigned to any injury NFS as to lesion or severity. Unknown Skin Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D piller 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other piller (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 708 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar (specify):_ 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 piller Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify): (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): 997 Noncontact injury source 743 A2 pillar

789 Unknown top component

999 Unknown injury source

Restrained?

__ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL = (

Glasgow Coma Scale Score


gcss = 15


Units of Blood Given

Units =


Arterial Blood Gases

HCO₃





Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





iational Highway Traffic Safety Id ninistration PEDESTRIAN	GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTI
1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6	9. Police Reported Travel Speed
3. Vehicle Number	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160)159.5 kmph and above (999)Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown 5. Vehicle Make (specify): Applicable sodes are found in your NASS PCDS Data Collection, Coding and	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown 30 mph X 1.6093 =kmph
Editing Manual. (99) Unknown 6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number PHHPP RUS 1 2 3 4 5 6 7 8 9 10 11 12 13 14 16 10 Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [78 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight Code weight to nearest 10 kilograms.	18. Impact Speed
	(045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 3 4 bs x .4536 = 5 kgs	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160)159.5 kmph and above (999)Unknown
16.	Vehicle Cargo Weight Code weight to nearest Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
	10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
		PRECRASH DATA
4.7	OTHER DATA	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or
(Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police	event (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown
((6) Ambulance (7) Fire truck or car (8) Other (specify):	22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position
	STOP - VARIABLES 18 THROUGH 20 RE COMPLETED BY THE ZONE CENTER	(09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):
		(98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in readure.
(05) Poor road conditions (puddle, pot hole, ice, etc	c.) (88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(OQ) Unknown according	(92) Object—unknown location
(09) Unknown cause of control loss This Vehicle Traveling	(98) Other critical precrash event (specify):
(10) Over the lens line and the line and the lens line and the lens line and the lens line and the lens line and the lens line and the lens line and the lens line and the lens line and the lens line and the lens line and the lens line and the lens line and the lens line and the lens line and the line and the lens line and the lens line and the lens line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and the line and	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane (12) Off the edge of the road on the left side	
(13) Off the edge of the road on the right side	24. Attempted Avoidance Maneuver
(14) End departure	(00) No driver present
(15) Turning left at intersection	(01) No avoidance actions
(16) Turning right at intersection	(02) Braking (no lockup)
(17) Crossing over (passing through) interest	(03) Braking (lockup)
(17) Crossing over (passing through) intersection (19) Unknown travel direction	(04) Braking (lockup unknown)
Other Motor Vehicle In Lane	(05) Releasing brakes
(50) Stopped	(06) Steering left
	(07) Steering right
(51) Traveling in same direction with lower speed (i.e., lower steady speed or decelerating)	(08) Braking and steering left
(52) Traveling in same direction with higher speed	(09) Braking and steering right
(53) Traveling in opposite direction	(10) Accelerating
(54) In crossover	(11) Accelerating and steering left
(55) Backing	(12) Accelerating and steering right
(59) Unknown travel direction of other motor vehicle	(98) Other action (specify):
in lane	(99) Unknown
Other Motor Vehicle Encroaching Into Lane	25.5
(60) From adjacent lane (same direction)—over left	25. Precrash Stability After Avoidance Maneuver
lane line	(0) No driver present (1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(1) No avoidance maneuver (2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 20
(62) From opposite direction—over left lane line	(3) Skidding longitudinally—rotation less than 30 degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	3
(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
(70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action) (O) No driver present
(/1) From driveway, across path	(0) No driver present (1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway

	ENVIRO	NIVIE	IENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area	D	33. Roadway Surface Condition (1) Dry (2) Wet
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):		(3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
	 Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier 	+	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign
	(3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	i	(2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One (2) Two	4	(6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):
	(3) Three (4) Four (5) Five		(9) Unknown
	(6) Six(7) Seven or more(9) Unknown		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight	71	1
	(2) Curve right (3) Curve left (9) Unknown	4	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%)	7	(4) Dawn (5) Dusk (9) Unknown
((4) Hillcrest (5) Sag (9) Unknown		37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain
(Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	1	(2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
(9) Unknown		•



National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM



1.	Primary	Sampling	Unit	Number
----	----------------	----------	------	--------

89

3. Vehicle Number

_0__1

2.	Case	Number	-	Stratum
----	------	--------	---	---------

VEHICLE IDE

VEHICLE IDENTIFICATION

VIN <u>LP4GH44R2SX</u>

Model Year ____

Vehicle Make (specify):

8/ymonth

Vehicle Model (specify):

yager wage

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Tee X			
	08	3	

<u>0</u> 2 cm

cm

_ cm

_ cm

VERTICAL MEASUREMENTS

PEV16 From	Bumper-Bottom	Height
------------	---------------	--------

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

Q	37	cm
	<u> </u>	

<u>S</u> cm

85 cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

 $\frac{087}{087}$ cm

173 cm


1 8 cm

9 60 cm

Neck strain to P


CHILL BOOK BOCK ON BOX

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground:



size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in swalls, etc.).

enterline and the front axles) from the ground:

CIT

BEST AVAILABLE COPY (10 A)


VIN PYOH 44 P25 X	ystem: Pedestrian Exterior Vehicle Form Page Model Year
Vehicle Make (specify):	Vehicle Model (specify):
20 20 20 20 20 20 20 20 20 20 20 20 20 2	Hood Material Front Bumper Cover Material Front Bumper Reinforcement Material
A 33 47 Midway 43 Forward Opening 192	Hood Length
	Bumper Lead
WRAP Top Windshield Base	
10 V80 V00 V00 V00 V00 V00 V00 V00 V00 V0	VERTICAL 32 58 5
FRONT Hood Et 1881 09	Forward Hood Opening
NOTES: Sketch all pedestrien contacts, include the size and depth in contimeters. I (lateral) and the front sides (langifudinal) in contimeters. Annathric absorbers the basis discussion of contemps and an additional side.	.ocate the pedestri
Location of the origin (intercept point of the centerline and the front exces) fro	160

PEDESTRIAN SIDE CONTACT WORK SHEET PEV06 Hood Material PEV08 Hood Length cm PEV09 Hood Width-Forward Opening cm PEV10 Hood Width-Midway cm PEV11 Hood Width-Rear Opening cm **VERTICAL MEASUREMENTS** PEV26 Ground Clearance cm PEV27 Side Bumper-Bottom Height cm PEV28 Side Bumper-Top Height cm PEV29 Centerline of Wheel PEV30 Top of Tire cm PEV31 Top of Wheel Well Opening cm. PEV32 Bottom of A-Pillar at Windshield PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C_L to A-Pillar at Bottom of Windshield cm PEV36 C_L to A-Pillar at 76p of Windshield cm PEV37 C_L to Maximum Side View Mirror Protrusion **WRAP DISTANCES** PEV38 Ground to Side/Top Transition PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact

ORIGINAL SPECIFICATIONS

Wheelbase	7193	inches	X	2.54	=	285 cm	
Overall Length	178.1	inches			=	452 cm	
Maximum Width	= 75.0	inches	X	2.54	=	$\overline{1}$ $\overline{2}$ $\overline{3}$ cm	
Curb Weight	3,464	pounds	x	. 4536	=	, <u>5</u> 1 L _{kg}	
Average Track	-N/	inches	x	2.54	=	cm	İ
Front Overhang		inches	X	2.54	=	Cm	
Rear Overhang		inches	x	2.54	=	cm	
Undeformed End Width		inches	x	2.54	=	cm c	
Engine Size: cyl./displ.		СС	x	.001	= /3	L VI	
		CID	X	.0164	*		1

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axes (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strictions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

П										A STIICLE P	OIIII	Page
				D	MATC	OF DEDE						
Ш				rı) 	OF PEDES	TRIAN CU	NIACT	000000000000000000000000000000000000000			
				LIST (ONT!	acts in ci	eronologi	cat ni	INFR			
				T		ī		A)2008A)				
		COMPONENT	LONGITUDINAL	LAT			1			•		-
	CONTACT	CONTACTED	LOCATION	LOCA		CRUSH					CONFIDENC	E LEVEL OF
	,	CODE		1		COUNTY	SUSPE		SUPP	DATING PHYSICAL EVIDENCE	CONTAC	T POULT
11	1/3		1020		'	CENTIMETERS	800Y M	ESION			(Ci	ode/
7		(10026	7	<u>t </u>	5011	Ma	4		Shares	1 2	3 8
N	2(4) 700	102	7	~	O Ano		nee		Los acondes	$\widetilde{\bigcap}$ 2	3 9
	3(C)	703	6	6		scutches	DAVE		Steam	h-0 (0) kg		
	P	7.20	47		8	Scullo	13/3/1		- / - /	1 4 4 4	<u> </u>	
1 1	(6	770	33				DS: V	A	sup	fed streuk	13	3 9
1 1	7-7-	177		9		Suffe	U Si	to Hub	3CW	ffed smudge	2	3 9
	(2) ++0	0	6	9	≤ `	PAR	m '	Smal	desib &	(1) 2	3 9
	<u></u>	770	1-4	5	2	Icm	Back Pa	ckod	book	o Dent	(1) 2	3 .8
	10	1770	8	L		10	0 1		.4	- DOTO	(1) 2	3 9
	(B	777	26	30		- William	1 Dack	Vac.	PX	Patel W		
W	TO A	270	33	4		Paul F	-Stee	7.10		MAD RAIL	P 2	3 9
da	() 7	370	54	3	-	met be	*			Je Dack	P) 2	3 9
						TOR-SOMPO	APPLIA CONTA	CTPD-			CD	_
	- AKC	3,B,A,J,	Rom									
"	IONT THE	i de la Ra	Bound ck strea reh from	K 743					Wheels	/ tires		
	700 Front be	imner of Low	ich from	744					790			
		wer valance/spoiler	vehicle						791			
	702 Front gr	ille	1011104	748	•	piller (specify):			792 793	Left rear wheel/tire Right rear wheel/tire		
		ge end/or trim		748		side roof rail			798	Other wheel/tire (specify):	• ,	
		nament (fixed) nament (spring loaded)		750		side door surface			799	Unknown wheel/tire	· 	
	706 Headligh			751 752		handle						
	•	ble headlight door (Op:	en/Closed)	752 753		side mirror fixed to side folding mirror				rriage components		
	708 Turn sig	nal/parking lights		754		side glazing forwa			800 801	Front crossmember Steering assembly/Front s		
		ont or add on object		755	Right	side glazing rearw	ard of B piller		802	Oil pan	nzbeuziou	
	(specify): 719 Unknow:	front object		758		entenna			803	Exhaust system pipe		
		object		757 758		fender or quarter p			804	Transmission		
Lef	t Side Compon	ents		759	Unkna	right side object (s wn right side com	вресну):	-	805	Drive shaft		
					•		Politik		806 807	Catalytic converter Muffler		
		der side surface		Back C	omponer	nts			808	Floor pan		
	721 Front an: 722 A1 pillar	enna		700					809	Fuel tank	••	
	723 A2 piller			780 781		back) bumper			810	Rear suspension		
	724 B piller			762		to back, vertical surfa	ice		818	Other undercarriage compo	nent	
	725 C piller			768		back component (s			210	(specify):		
	726 Dpiller 728 Otherpill			769	Unkne	wn back componer	nt		- 10			
	728 Uther pio 729 Left side	er (specify):		T					Accessor	ries		
		door surface		Top Co	nponent:	•	•		820	Air scoop, deflector		
7	31 Door han			770	Hood s	urface			821	Cellular or CB radio anteni	18	
		mirror fixed housing		771		Purface rainfarced (by underhood con	moonent	822 823	Emergency lights or bar Fog lights		
		folding mirror	***	772	Front f	onder top surface	,			Luggaga, ski, or bike rack		
		glazing forward of B p glazing rearward of B		773	Cowl					Cargo (specify):	;	
		back fender or quarter		774 775	Windak	blade & mountings iold glazing				Spare tire		
	37 Reer ante	nna	•	778	Front h					Spotlight Characters (annuity)		
	38 Other left	side object (specify):		777	Reef s	urface			045	Other accessory (specify):		
,	39 Unknown	left side component		778		ht glazing			Other Obj	ject or Vehicle in Environme	nt	
Righ	t Side Compon	ents	•	779 700	Reer he				848	Other object in environment		
	1			780 781	Hetchba Rear to					(specify):		
		er side surface		788		oh combouous (sbo	cify):			Unknown object in environm		
	ll Front anto	nna		789	Unknew	n top compenent		_	997	Unknown object en centact Noncontact injury seurce	mil Aguicie	
/4	l2 A1 piller					•	-			Unkaswa inimy source		

VEHICLE DIMENSIONS	
4. Original Wheelbase	11. Hood Width Rear Opening Code to the
Code to the	nearest centimeter (210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	i i
1123 inches X 2.54 = 395 centimete	re inches X 2.54 = centimeters
5. Original Average Track Width Code to the	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
mara late	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeter	(4) Severe crush (>7 centimeters)
	'O' Damage present, unknown it damage is
	from pedestrian impact
6. Hood Material	S (9) Unknown
(1) Plastic	
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
U) UEM factory installed bood	
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	unknown if damaged
(2) OEM replacement	unknown if damaged FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the	TRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	### TRONT CONTACT DAMAGE Front Vertical Messurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

1				· · · · · · · · · · · · · · · · · · ·
- (Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	058	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	188
	Forward Hood Opening Code to the nearest centimeter 000) No front contact 200) 200 centimeters or more 999) Unknown	centimeters	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown	centimeters
((ront Bumper Lead OO) No front contact Code to the nearest centimeter 30 centimeters or more Unknown	centimeters	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	centimeters 164
_	Front Wrap Distance Measur	***************************************	SIDE CONTACT DAMAG	
(0) (21. Gr (0) (11. (9)	round to Forward Hood Opening Code to the nearest centimeter (00) No front contact (00) 200 centimeters or more (99) Unknown (10) 100 centimeters or more (10) 100 centimeters or more (10) 100 centimeter (10) No front contact (10) No front contact (11) 180 centimeters or more (12) 180 centimeters or more (13) 180 centimeters or more (14) 180 centimeters or more (15) 180 centimeters or more (16) 180 centimeters or more (17) 180 centimeters or more (18) 180 centimeters or mor	nt 0 9 2	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 28. Side Bumper-Top Height Code to the	centimeters
(40	nearest centimeter OO) No front contact OO) 400 centimeters or more OO) Unknown inches X 2.54 =	_ centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =	centimeters

				ronn Pag
29.	Centerline of Wheel	<u> </u>	Side Lateral Measurem	enta.
	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the	000
20	inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown	
	Top of Tire Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more	<u> </u>	36. Centerline to A-Pillar	centimeters
	(999) Unknown inches X 2.54 =	centimeters	at Top of Windshield Code to the nearest centimeter (000) No side contact	
31.	Top of Wheel Well Opening Code to the nearest centimeter	000	(250) 250 centimeters or more (999) Unknown	
	(000) No side contact (250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion	O O O
-	inches X 2.54 =	centimeters	Code to the nearest centimeter	
- (Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	<u>000</u>	(000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =	centimeter
_	inches X 2.54 =	centimeters	Side Wrap Distance Measure	ements
- ((Top of A-Pillar at Windshield Code to the nearest centimeter 000) No side contact 300) 300 centimeters or more 999) Unknown	000	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	000
	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
(0)	op of Side View Mirror Code to the nearest centimeter 000) No side contact 300) 300 centimeters or more 999) Unknown	<u>1000</u>	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	<u> </u>
	inches X 2.54 =	_ centimeters	inches X 2.54 =	_ centimeters
	•			·

			- Cystein. 1 6	JOSUIAN EXTERIOR	venicle Form	Page
40.	Ground to Centerline of Hood (Original Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	<u>000</u>				1
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more	centimeters				
	(999) Unknown inches X 2.54 =	centimeters				
	·			·		
					•	
					•	
					;	
ı	÷ •					



/	1	_	1
/	.77		.)
C	╝	_	

National Highway Traffic Safety PEDESTRIAN INTERVIEW FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 2. Case Number - Stratum 6 8 P
3. Pedestrian Number <u>0 1</u>
Review all available information and interview questions prior to conducting interview(s) to ensure the acquisition of all pertinent data.
If the pedestrian was not the person interviewed, was an appointment made for a follow-up interview?
PEDESTRIAN'S DESCRIPTION OF ACCIDENT EVENTS
award front of Bro and went to be hard front of Bro and states she hard front hand you to be sure to be a track to be a track to be the considered to roth and was but on glowd. - also sold an anamal a little. - and rest was in other traffic limes.
WITNESS DESCRIPTION OF ACCIDENT EVENTS

HS Form 0435L (7/94)


Information collected in this report is used to complete HS Forms 435H and 435I. These reports are authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

PSU NUMBER CASE NUMBER YEAR

82	_
G18P	_
1995	_

PEDESTRIAN INTERVIEW FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:




PSU Number 2

Case Number - Stratum 6

<u>P</u>

Pedestrian Number 0 1





U.S. Department of Transportation

National Highway Traffic Safety Administration

DRIVER INTERVIEW FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 6	Interviewee(s) Role or Name(s):
2 1/ 1/ 1	
Review all available information and interview q acquisition of all pertinent data.	uestions prior to conducting interview(s) to ensure the
If the driver was not the person interviewed, was	as an appointment made for a follow-up interview?
DRIVER'S DESCRI	PTION OF ACCIDENT EVENTS
thon con t	and preseded book
the bus which	new stopped et one and
when I can	me by the I saw her and
emming trom the	e time of bus and as I swewed
Setto and bruke	d It was lake I followed
long the there	improted by I deline I
just knocked has	dim but I closed my eyo
and rover sun,	infuto and I struted shaking
and never went	Dover to see feel as all.
	7
OCCUPANT'S DESC	
OCCUPANT S DESCI	RIPTION OF ACCIDENT EVENTS
	·

HS Form 0435M (7/94)


Information collected in this report is used to complete HS Forms 435H and 435I. These reports are authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

ACCIDENT DIAGRAM



INDICATE NORTH

The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.



1. Primary Sampling Unit Number	3. Vehicle Number 0 1
2. Case Number - Stratum 6 18 P	4. Occupant Number <u>0 1</u>
DRIVER CRASH D	ATA QUESTIONS
1. Can you tell me in which direction you were traveling? [] North	6b. Did the vehicle skid sideways? [] Yes Which way? []Clockwise []Counter clockwise How much rotation? []Less than 30° []30° or more
(Note: Lane 1 is designated as the right curb lane.) [1] [2] [3] [4] [] Other (specify): 3. Can you remember your estimated travel speed (in miles)	7. Where was your vehicle at the time of the collision? Original travel lane [] Different travel lane In intersection [] Off roadway to right Off roadway to left Other (specify):
per hour) before the accident? [] Stopped	8. Was your travel speed at the time of the collision different from your previous travel speed? [] No [] Lower [] Higher [] Unknown
Going straight [] Stopped [] slowing [] Accelerating [] Turning left [] Turning right [] Changing lanes to left [] Changing lanes to right [] Backing [] Other (specify):	8a. Can you estimate your speed at the time of the collision? Stopped 1-10 10-20 120-30 30-40 40-50 50-60 60-70 70 +
5. Did you experience any <u>loss of control?</u> χO] No [] Yes (If yes, describe below)	9. Immediately following the collision, can you describe how your vehicle moved to its stopped position? Couglist to life m
6. Did you have to take any avoidance actions prior to the accident? No - Go to question 7 Yes - Go to question 6a 6a. What actions did you take?	10. What direction was your vehicle facing at final rest?
[] Braking with lock-up Braking without lock-up [] Releasing brakes [] Accelerating Steering left [] Steering right [] Other (specify):	11. Where was your vehicle when it came to rest? [] Original travel lane

National Accident Sampling System-Crashworthiness Data System: Pedestrian Driver Interview Form Page 3					
1. Primary Sampling Unit Number	2 Matria N	_1			
2. Case Number - Stratum 6 P	4. Occupant Number 0	_1			
VEHICLE/DRIVER DATA QUESTIONS	VEHICLE/PEDESTRIAN RELATED DATA				
12. Was there any previous damage to your vehicle that is not related to this ascident? [] Yes	18. Just prior to the impact, was the pedestrian: Standing Crouching Kneeling Bending at waist Other, specify:				
13. Was your vehicle repaired with Orignial Equipment Manufacture (OEM) parts? [] No (If "No", describe below) Yes [] Unknown	19. Just before the impact, was the pedestrian: [] Stopped [] Walking [] Walking Rapidly				
14. At the time of the accident, was the vehicle being used as a: [] Taxi[]School Bus[]Other Bus? Is the vehicle a: [] Military[]Police [] Ambulance[]Fire Truck/Car [] Other Special use, specify:	20. Just before impact, was the pedestrian: Crossing road, straight Crossing road, diagonally Crossing road, diagonally Crossing road, with traffic Moving in road, against traffic Off road, approaching road Off road, going away from road Off road, moving parallel Off road, crossing driveway Off road, moving along driveway Other (specify):	L.			
15. Before the collision, were you attentive to the driving task or were you distracted by: [] talking on a cellular phone [] another person in the car [] a moving object in the car [] something outside the car, specify: [] sleeping or dozing [] other (specify): Not distracted	21. Where was the pedestrian at impact: [] In intersection, in a crosswalk [] In intersectiond, not in a crosswalk [] Not at intersection, in a crosswalk Not at intersection, not in a crosswalk [] Off road [] Other (specify):				
If you need additional vehicle infomation. Request the owner's permission for an additional inspection. 16. Do you know where the vehicle is currently located? The frame gweet 17. May I take a look at your vehicle to assess the damage? [] No [] Yes [] 12.30	 22. Before trying to avoid being struck by the vehicle, was the pedestrian's chest: Facing vehicle Facing away Left side to vehicle Right side to vehicle Other (specify): 				

CF=.60	
Veh POI to POR = 11 m.	J.
Veh Watt = 1571 kg.	1/2
Vch 5/de to 5hp (5 = 15.9 V d.f = kmph)	
5 = 15.9.11.0.0.60	
S = 15.9 · V 6.6	20 M
S = 159.2019	julija Proje
5 = 40.84 kmph (25 mph)	
	i a i
Based on Pt. of Perception / Angle of View Obst.	
Veh. speed at pt. of perception = 55-60 triph	
Veh. braking / pre-impact slowed behicle by 15-20 km	- <u>L</u>
Veh impact speed of approx. 40 kmph is re	asonable
(+/-5)	Imph accuracy)

Don't all the second of the se

4) 4) 1)

145

final

82618P00000011 958.04000000000116000100001 95 /95000000000 00000000000000 01 82618P00010012 **958.**0410000000000113F72000 82618P00010021 8.04 000000002921554308513305013023001311040109600341000515 1010000000010 82618P00010131 8.04 00000000078904021270311322 82618P00010231 8.04 00000000037902021277011222 82618P00010331 8.04 00000000037906021277011222 82618P00010431 8.04 00000000031904021677011233 82618P00010531 8.04 00000000031150997077011233 82618P00010631 8.04 00000000036402781677012233 8.04 00000000031904021194711000 82618P00010731 8.04 00000000077902021194711000 82618P00010831 82618P00010931 8.04 00000000076902021894711000 82618P00011031 8.04 00000000078904021194711000 82618P01000041 8.04 0000000009509442201P4GH44R2SX 199904809600157000004 12110180082301411210011 82618P01000051 8.04 0000000002851553108314214314520310370580850808709217318

PEDESTRIAN ASSESSMENT Occupant: 1

INTRA ERRORS

00001000000000

OHH1091 2 If TREATMENT PAS26 equals 0, 4 or 5, then HH1092 WORKING DAYS LOST PAS29 should equal 00, 01, 97 or 99.

o

PSU82 CASE 618P ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

95

CURRENT VERSION: 8.04

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	o	Y
Pedestrian Assessment	0	O	1	Υ
Pedestrian Injury	0	Q	0	Υ
Pedestrian General Vehic	le o	O	0	Υ
Pedestrian Exterior Vehi	cle O	0	O	Υ
Total Inter Errors		0	o	
Total Case Errors	0	0	1	